

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
<i>Acacia binervia</i> #	3x1.5	Y	7-9	✓	✓	✓	✓	SC	Open forest and moisture loving, in optimum conditions can reach 18mx4m
<i>Acacia brownii</i>	1.5x1	Y	7-10	✓	✓	✓	✓	SC	Heath/forest, open shrub
<i>Acacia floribunda</i>	3x3	C	8-9	✓	✓	✓	✓	S	Open forest, moisture loving
<i>Acacia longissima</i>	3x3	C	1-2	✓	✓	✓	✓	S	Open forest, life ten years or more
<i>Acacia myrtifolia</i> #	1.5x1.5	C	8-9	✓	✓	✓	✓	S	Open forest, heath, likes track edges
<i>Acacia oxycedrus</i>	2.5x3	Y	7-10	✓	✓	✓	✓	S	Forest and open, very prickly, likes seepage areas
<i>Acacia terminalis</i>	3x3	C	3-9	✓	✓	✓	✓	S	Forest and open, among other shrubs
<i>Actinotus helianthi</i> #	To 1	W	8-1		✓	✓	✓	S	Biennial under trees or in open. Best adjacent to large sandstone boulders in deep moist sand
<i>Angophora hispida</i> #	4x4	C	10-12	✓	✓	✓	✓	S	Buds, flowers, fruit attractive; grey foliage, decorative
<i>Aotus ericoides</i>	2x1	Y/R	8-11		✓		✓	SC	Likes moisture, grows among other close shrubs
<i>Astroloma humifusum</i>	.2x1	R	2-6	✓	✓	✓	✓		Open forest, low diffuse shrub
<i>Astroloma pinifolium</i>	.15x1.5	R	5-9		✓	✓	✓		Heath and open forest, low diffuse shrub. Flowers red then turning yellow & green at tips
<i>Austromyrtus tenuifolia</i>	1x1.5	W	11-12	✓	✓	✓	✓	C	Moisture loving, starry flowers and small berries
<i>Baeckea ramosissima</i>	Px .5	P	6-2	✓	✓	✓	✓	C	Small semi-prostrate, delicate tea-tree flowers
<i>Banksia ericifolia</i> #	4x4	O	4-8	✓	✓		✓	SC	Quick growing, needs pruning early, dense shrub. Flowers from pale yellow/green to ruby-red.
<i>Banksia marginata</i> #	3x3	Y	2-7	✓	✓	✓	✓	S	Open or dense shrub, many small brushes, attractive foliage
<i>Banksia oblongifolia</i> #	3.5x3	Y	3-7	✓	✓	✓	✓	SC	New growth and leaves attractive, prominent flowers, open shrub
<i>Banksia serrata</i> #	7x5	G	12-4	✓	✓	✓		S	"Old Man Banksia". Large cones, green flowers. Attractive serrated leaves. Appreciates capillary moisture
<i>Banksia spinulosa</i> #	1.5x1.5	O	3-9	✓	✓		✓	S	Flowers vary from yellow to ruby and are well displayed on an open shrub
<i>Bauera microphylla</i>	.5x1	P	7-12	✓	✓	✓	✓	C	Rubioides in miniature. Grows in open heath or scrub. Sometimes white flowers
<i>Bauera rubioides</i> #	1x1.5	P	7-12	✓	✓	✓	✓	C	Forested moist gullies, dense, moisture loving, attractive foliage. Has white forms
<i>Boronia floribunda</i>	1x1	P	9-11			✓	✓	C) All are difficult to grow, and prefer a well drained soil,
<i>Boronia ledifolia</i>	1x.5	P	7-9		✓	✓	✓	C) protected environment and
<i>Boronia pinnata</i>	1.5x1	P	8-10		✓	✓	✓	C) must not be allowed to dry out.
<i>Boronia serrulata</i>	1x1	P	8-11		✓	✓	✓	C) Protect from wind damage (<i>B. floribunda</i> has white forms)
<i>Bossiaea scolopendria</i>	1.5x1	Y/Br	8-10	✓	✓	✓	✓	SC	Leafless flattened stems with pea flowers
<i>Brachyscome angustifolia</i>	Px1	M	9-12	✓	✓	✓	✓	CD	Non-invasive, suckering daisy. Moist well drained open situation
<i>Callistemon citrinus</i> #	2.5x2	R	3-5 & 10-12	✓	✓	✓	✓	SC] Both prefer moist situation in the open
<i>Callistemon linearis</i>	2x1.5	R	10-12	✓	✓	✓	✓	SC] for best result. Keep pruned
<i>Callistemon pinifolius</i>	2.5x2	R/G	10-12	✓	✓	✓	✓	SC	Sandstone to clay, will tolerate damp
<i>Calytrix tetragona</i>	1.5x1	W	9-12		✓	✓	✓	C	Scrub habitat or very open forest. Can be sprawling and need pruning. Sometimes pink
<i>Cassinia aureonitens</i> #	2x1	Y	10-12		✓	✓	✓	C	Upright, last 3 to 4 years, large heads of small flowers
<i>Ceratopetalum gummiferum</i> #	4x3	W	10-11	✓	✓	✓	✓	SC	Forest plant, suited to all soils if well drained. After flowering sepals turn red

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
<i>Crocea exalata</i> #	1x1	P	12-6	✓	✓	✓	✓	C	Open forest, part shade, full sun if well mulched
<i>Crocea saligna</i> #	1x1	P	1-6	✓	✓	✓	✓	C	Forest, keep moist, prune to keep shape
<i>Dampiera purpurea</i> #	1.5x1.5	B	9-12	✓	✓	✓	✓	C	Vigorous, prune after flowering, grey foliage
<i>Dampiera scottiana</i>	.5x1	B	9-10	✓	✓	✓	✓	C	Grey foliage, suckering, best in a clump
<i>Dampiera stricta</i> #	.5x.5	B	6-12		✓	✓	✓	C	Variable in form. For damp spot
<i>Darwinia fascicularis</i> #	1.5x2	R/W	6-9	✓	✓	✓	✓	C	Compact, spreading, dense, likes to be among rocks. Responds to heavy pruning
<i>Daviesia corymbosa</i>	2x.5	Y/R	8-11		✓	✓	✓	SC	Robust, spectacular in flower. Keep pruned to avoid wind damage.
<i>Dianella caerulea</i>	.5x1	B	10-2	✓	✓	✓	✓	SD	Strap-like leaves, hardy, purple berries
<i>Dianella longifolia</i>	.5x.5	B	9-12	✓	✓	✓	✓	SD	Strap-like leaves, berries
<i>Dianella prunina</i>	.5x.5	B	9-10	✓	✓	✓	✓	SD	Grey and purple strap-like leaves
<i>Dianella revoluta</i> #	.5x.5	B	11-12	✓	✓	✓	✓	SD	Starry flowers with yellow stamens. Purple berries
<i>Dillwynia floribunda</i> #	1.5x1.5	Y/R	8-10		✓	✓	✓	SC	Dense fine-leaved shrub, foliage attractive
<i>Dillwynia retorta</i>	1.5x1.5	Y/R	7-11		✓	✓	✓	SC	Forest. Soft, fine leaves, spectacular in flower
<i>Dillwynia sericea</i>	1x1	Y/R	8-10		✓	✓	✓	SC	Open shrub, spectacular in flower
<i>Dodonaea pinnata</i>	1.5x1.5	G	12-2		✓	✓	✓	SC	Grows in forest near rocks. Reddish hops, attractive pinnate foliage
<i>Dodonaea viscosa ssp cuneata</i>	2x1	G	8-10	✓	✓	✓	✓	SC	Reddish hops, open shrub, forest habitat
<i>Epacris longiflora</i> #	1x1	R/W	5-10		✓	✓	✓	C	Around rocks in open forest, likes moisture, flowers impressive
<i>Epacris microphylla</i>	1x.5	W	7-9		✓	✓	✓	C	Around rocks, low shrub, likes moisture
<i>Epacris pulchella</i>	1x.5	W	1-4	✓	✓	✓	✓	C	In low scrub and heath, flowers small but profuse. Pink form exists
<i>Epacris purpurascens</i>	1.5x.5	P	7-10		✓	✓	✓	C	Open heath habitat, likes moisture, flowers impressive
<i>Eriostemon australasius</i> #	2x2	P	8-10		✓	✓	✓	C	Among rocks in open forest, shade to sun, flowers impressive
<i>Gompholobium grandiflorum</i> #	1.5x1	Y	8-9		✓	✓	✓	SC	Forest, likes moisture, spectacular pea flowers
<i>Gompholobium latifolium</i>	1.5x1	Y	8-10		✓	✓	✓	SC	Forest, upright, spectacular pea flowers
<i>Grevillea buxifolia</i>	2x2	Gr	8-4	✓	✓	✓	✓	SC	Scrub, heath, flowers most of the year
<i>Grevillea linearifolia</i> #	2x2	W	7-2	✓	✓	✓	✓	SC	Open forest situation. Open shrub, weeping habit. Pink forms available
<i>Grevillea mucronulata</i>	1x1	G	5-10		✓	✓	✓	SC	Compact to open forms, odd light green flowers, various leaf forms
<i>Grevillea sericea</i> #	1.5x1.5	P	7-11		✓	✓	✓	SC	Forest margins, open shrub, needs pruning early. Varies from pink to deep mauve
<i>Grevillea speciosa</i> #	1.5x1.5	R	6-10		✓	✓	✓	SC	Heath scrub. Upright to procumbent, likes moisture
<i>Hakea dactyloides</i> forest form	3x2	W	9-11		✓	✓	✓	SC	Forest, among rocks. Upright, good shape
<i>Hakea gibbosa</i>	2x1	C	6-9	✓	✓	✓	✓	S	Prickly glaucous foliage. Spectacular fruit
<i>Hakea propinqua</i> #	2x2	W	5-10	✓	✓	✓	✓	S	Prickly, open form
<i>Hakea sericea</i> #	3x1.5	W	6-9	✓	✓	✓	✓	S	Prickly foliage, hardy plant
<i>Hardenbergia violacea</i> #	Cl	M	7-10	✓	✓	✓	✓	SC	Climber/creeper, good nursery forms available
<i>Hibbertia dentata</i> #	Cr	Y	8-11	✓	✓	✓	✓	C	Climber/creeper, bronze foliage, 2.5cm open yellow flowers
<i>Hibbertia obtusifolia</i>	P	Y	5-11		✓	✓	✓	C	Blue grey foliage, attractive bright yellow flowers
<i>Hibbertia pedunculata</i>	P	Y	11-4		✓	✓	✓	C	Dense circular ground cover, attractive flowers
<i>Hibbertia scandens</i> #	Cl	Y	9-12	✓	✓	✓	✓	C	Climber/creeper, dense green foliage, 8cm gold yellow flowers
<i>Hovea linearis</i> #	.5x.5	M	7-8		✓	✓	✓	SC	Single stemmed, open forest, undershrub, short lived

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
<i>Hovea purpurea</i> #	2x1.5	M	8-9		✓	✓	✓	SC	Upright, forest habitat, moist situation. Prune after flowering
<i>Isopogon anemonifolius</i> #	2x1.5	Y	9-11	✓	✓	✓	✓	SC	Grows in heath and open woodland, excellent foliage
<i>Isopogon anethifolius</i> #	2x1.5	Y	9-11	✓	✓	✓	✓	SC	Open and sheltered forest."Drumstick" fruits, excellent foliage
<i>Kennedia prostrata</i> #	Px1.5	R/Y	7-10		✓	✓	✓	SC	Covered with bright flowers. Open situation, spreading
<i>Kunzea ambigua</i>	3x2	W	10-11		✓	✓	✓	C	Masses of summer flowers, weeping habit, attractive scented foliage
<i>Kunzea capitata</i>	2x2.5	P	9-10		✓	✓	✓	C	Heath and open forest. Pom pom flowers. Prune, likes moisture
<i>Lambertia formosa</i> #	2x2	R	9-5	✓	✓	✓	✓	SC	Very hardy, unusual fruit and flowers. Bird attracting, prickly
<i>Lasiopetalum ferrugineum</i>	1x.5	Br	7-11		✓	✓	✓	C	Well mulched forest areas. Flowers pendant in small bunches
<i>Lasiopetalum joyceae</i>	1x.5	Br	8-10		✓	✓	✓	C	Forest, felted leaves, shiny top surface. Very showy pink fleshy flowers
<i>Lasiopetalum rufum</i>	1x.5	P	8-11		✓	✓	✓	C	Sheltered forest. Hanging bunches of pale pink flowers
<i>Leptospermum arachnoides</i>	1x2	W	11-1	✓	✓	✓	✓	SC	Airy open forest and heath near rocks. Prickly divaricate
<i>Leptospermum parvifolium</i>	1.5x1	W	9-11		✓	✓	✓	SC	Airy and flat rocks. Beautiful in flower
<i>Leptospermum polygalifolium</i>	2x1.5	W	9-12	✓	✓	✓	✓	SC	Fresh green weeping foliage. Spectacular in flower
<i>Leptospermum squarrosus</i> #	2x1	P	3-4	✓	✓	✓	✓	SC	"Peach flowered tea tree". Enjoys a damp spot, prune for first year
<i>Leucopogon fletcheri</i>	1x1	W	8-10		✓	✓	✓	C	Open areas, dainty pendulous flowers
<i>Leucopogon lanceolatus</i> #	1.5x1	W	9-12		✓	✓	✓	C	Dense forest, scrambling shrub. Bunches of tiny white flowers
<i>Logania albiflora</i>	3x1.5	W	8-10		✓	✓	✓	C	Moist sheltered position. Highly scented flowers
<i>Lomandra confertifolia</i>	.5x1	C	7-11	✓	✓	✓	✓	SD	Forest and heath. Tufted leaves
<i>Lomandra longifolia</i>	1x1	C	8-12	✓	✓	✓	✓	SD	Hardy .
<i>Lomandra multiflora</i> #	.5x.5	C	9-1	✓		✓	✓	SD	Fine strap-like leaves, female flowers impressive
<i>Lomatia silaifolia</i>	1x1	C	11-2	✓	✓	✓	✓	SC	Forest area and heath. Large segmented leaves are decorative
<i>Melaleuca thymifolia</i> #	1x1	M	10-2	✓	✓	✓	✓	SC	Open forest to full sun, compact, many flowered
<i>Micromyrtus ciliata</i> #	1x1	W/R	7-11		✓	✓	✓	SC	Open area well drained, many tiny flowers
<i>Morinda jasminoides</i>	Cl	C	11-12	✓	✓	✓	✓	C	Forest climber/creeper attractive orange berries
<i>Olearia microphylla</i>	1x1	W	8-11	✓	✓	✓	✓	C	Short lived. Covered with starry flowers, sheltered area, perpetuate from cuttings
<i>Olearia tomentosa</i>	2x1	W	10-11	✓	✓	✓	✓	C	Forest dweller, needs pruning, large daisy flowers
<i>Oxylobium ilicifolium</i>	2x1.5	Y/R	9-11		✓	✓	✓	SC	Native holly of the forest, spectacular in flower
<i>Oxylobium scandens</i>	P	Y/R	8-12		✓	✓	✓	SC	Non-rampant creeper, open sun, very floriferous
<i>Patersonia fragilis</i>	.5x.5	M	9	✓	✓	✓	✓	SD) Native Irises for open or semi shade
<i>Patersonia glabrata</i>	.5x.5	M	9	✓	✓	✓	✓	SD) positions. Flowers impressive. Leaves
<i>Patersonia sericea</i> #	.5x.5	M	9-12	✓	✓	✓	✓	SD) strap-like.
<i>Persoonia hirsuta</i>	1.5x1.5	Y	11-1		✓	✓		S	Open forest and heath. Attractive dense shrub, soft foliage.
<i>Persoonia lanceolata</i>	3x2	Y	10-2	✓	✓	✓	✓	S	Shrub. Flowers most of year
<i>Persoonia laurina</i>	1X1	Y	10-12	✓	✓	✓	✓	SC	Open, few stemmed; broad, opposite leaves. Can be pruned
<i>Persoonia levis</i>	3x2	Y	9-11	✓	✓	✓	✓	S	Upright, broad bright yellow/green leaves. Bark papery and multi-layered
<i>Persoonia linearis</i>	3x2	Y	12-7	✓	✓	✓	✓	SC	Tall often dense soft grey/green narrow leaves. Multi layered bark, red underneath
<i>Persoonia nutans</i> #	1x1	Y	12-5		✓	✓	✓	S	Dense sprawling dark green leaves, lots of flowers.
<i>Persoonia oblongata</i>	1.5x1	Y	3-7		✓	✓	✓	S	Found in dry woodland. Open spreading shrub, attractive light green foliage

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
<i>Persoonia pinifolia</i> #	3x3	Y	3-5	✓	✓	✓	✓	S	Superb foliage plant with weeping habit. Terminal heads of flowers. Fruit hangs like grapes
<i>Phebalium squamulosum</i> #	1.5x1.5	Y	8-10		✓	✓	✓	C	Prefers to grow adjacent to rocks in sandy loam. Impressive flower heads, open shrub
<i>Philotheca buxifolius</i>	1x1	W	8-10		✓	✓	✓	C	Heath or open scrub, well drained, prune. Pink form exists
<i>Philotheca hispidula</i>	2x2	W/P	8-10			✓		C	Excellent garden plant
<i>Philotheca myoporoides</i> #	2x2	W	8-10	✓	✓	✓	✓	C	Scented, good nursery forms, excellent garden plant
<i>Philotheca salsolifolia</i>	1.0x.5	M	8-10	✓	✓	✓	✓	C	Full sun among other low growing shrubs. Dense in open heath
<i>Phyllota grandiflora</i>	1.5x1	Y/R	9-12	✓	✓	✓	✓	SC	Open forest, does not mind shade or heavy soil, spectacular in flower
<i>Phyllota phyllicoides</i> #	1x1.5	Y/R	8-10	✓	✓	✓	✓	SC	Does best in full sun or light shade. Spreading or compact depending on position
<i>Pimelea glauca</i>	.3x.5	W	8-12	✓	✓	✓	✓	S	Grows among grasses and woodland. Dense compact in full sun.
<i>Pimelea linifolia</i>	.5x.5	W	7-10	✓	✓	✓	✓	SC	Treat as annual, flowers for a long period. Responds to hard pruning post flowering
<i>Platysace ericoides</i>	.25x.5	W	11-2		✓	✓	✓	C	Woodland shrub, neat fresh appearance
<i>Platysace lanceolata</i>	1x1	W	12-4		✓	✓	✓	C	Several forms to choose from, likes to grow under trees
<i>Platysace linearifolia</i>	1x1	W	12-4		✓	✓	✓	C	Grows in open woodland. Best grouped for a good display, fine foliage, small flowers. Short lived (3years)
<i>Pomaderris lanigera</i> #	3x2	Y	9-10		✓	✓	✓	C	Best in moist areas in part shade.
<i>Prostanthera howelliae</i>	.5x.5	M	10-11		✓	✓	✓	C	Grows among grasses in wild. Small woodland, few-stemmed plant. Flowers displayed well
<i>Prostanthera linearis</i>	2.5x3	W	9	✓	✓	✓	✓	C	Upright. Will stand dry conditions although appreciates moisture. Flowers from white to lilac
<i>Prostanthera ovalifolia</i> #	2.5x1.5	M	9-11		✓	✓	✓	C	Often on rock ledges in shallow soils. Several forms, all very adaptable
<i>Prostanthera scutellarioides</i> #	1.5x1.5	M	10-11	✓	✓	✓	✓	C	Flowers profusely, cultivated form adaptable
<i>Pultenaea daphnoides</i>	2.5x1.5	Y/R	8-11	✓	✓	✓	✓	SC	Open woodland and under medium trees. Thrives in heavy clay soil
<i>Pultenaea elliptica</i>	1x.5	Y	9-12		✓	✓	✓	SC	Full sun or semi-shade. Some forms are spectacular in flower and upright compact forms
<i>Pultenaea ferruginea</i> var. <i>deanii</i>	1.5x1.5	Y/R	9-10	✓	✓	✓	✓	S	Woodland in semi-sunny position. Appreciates leaf mould and shelter from wind
<i>Pultenaea ferruginea</i> var. <i>ferruginea</i>	1.5x1.5	Y/R	9-10	✓	✓	✓	✓	S	Woodland slopes in reasonably moist conditions
<i>Pultenaea microphylla</i>	.5x.5	Y/R	8-11	✓	✓	✓	✓	SC	Grows in heavy clay soils but will adapt to lighter soil. Full sun.
<i>Pultenaea stipularis</i>	1.5x1	Y/R	8-10		✓	✓	✓	SC	Lovely foliage shrub with showy heads of pea flowers. Adaptable
<i>Pultenaea villosa</i> #	2x2	Y/R	8-10	✓	✓		✓	SC	Weeping foliage and masses of flowers. Adaptable. Part shade seems best
<i>Rulingia dasyphylla</i> #	3x3	W/R	8-10	✓	✓	✓	✓	C	Likes the edge of woodland and forest. Appreciates mulch and constant moisture
<i>Scaevola ramosissima</i> #	Px1	M	11-1		✓	✓	✓	C	A few creeping stems with attractive fan shaped flowers. Shelters among other plants in semi-shade
<i>Stylidium graminifolium</i> #	.35x.1	P	10-12	✓	✓	✓	✓	S	Grows in open or under trees as a small tufted herb. Does not mind heavy soils

Australian Plants Society
Parramatta Hills District Group - District Plant List

<u>Plant Name</u>	<u>Height/Width</u> <u>Metres</u>	<u>Flower</u>		<u>Soils</u>				<u>Prop</u>	<u>Remarks</u>
		<u>Colour</u>	<u>Time</u>	<u>C</u>	<u>S</u>	<u>SL</u>	<u>SC</u>		
<i>Stylidium lineare</i>	.3	P	9-12	✓	✓	✓	✓	S	Short lived but very dainty single stemmed plant with unique flowers
<i>Stylidium productum</i>	.4x.3	P	11-1		✓	✓	✓	S	Grows around base of rocks in woodland. Likes mulch and moisture
<i>Stypandra glauca</i> #	.5x1	B	7-10		✓	✓	✓	D	Multi stemmed herb, terminal blue flowers. Moist habitat, semi shade
<i>Styphelia laeta</i>	1x1	G	3-8	✓		✓	✓	C	Angular shrub, tubular flowers
<i>Styphelia triflora</i>	1.5x1	P	8-9	✓		✓	✓	C	Exquisite tubular flowers, erect with few branches
<i>Styphelia tubiflora</i>	1x.5	R	4-8		✓	✓	✓	C	In woodland as an undershrub. Stands full sun but likes a cool root run and to grow among other plants
<i>Telopea speciosissima</i> #	3x2	R	9-11		✓	✓	✓	SC	Grows in woodland in part shade
<i>Tetradlea ericifolia</i>	.3x.3	M	7-11		✓	✓	✓	C	Best grown in moist, mulched spot among trees and larger shrubs
<i>Tetradlea glandulosa</i>	.3x.3	M	7-10		✓	✓	✓	C	Grows in heath and scrub with reasonable amount of sun
<i>Tetradlea thymifolia</i> #	.5x.5	M	8-11		✓	✓	✓	C	Woodland plant appreciates deep sand or lateritic sites. Do not overshadow with other larger shrubs
<i>Thelionema caespitosum</i>	.5x1	B	10-12		✓	✓	✓	D	Erect tufted herb. Adaptable
<i>Thysanotus juncifolius</i>	.3	M	10-12		✓	✓	✓	S) In woodland and heath. Understory plant
<i>Thysanotus tuberosus</i>	.3	M	10-12		✓	✓	✓	S) Suited to a variety of soils and locations
<i>Tristania neriifolia</i>	4x3	Y	12-1	✓	✓	✓	✓	S	Gullies and creeks among rocks. Likes moisture and some shelter
<i>Viola hederacea</i> #	P	W/M	all	✓	✓	✓	✓	D	Rampant ground cover for sheltered spots. Likes moisture and some shelter
<i>Wahlenbergia stricta</i>	.4	B	10-11	✓	✓	✓	✓	S	Perennial few-stemmed herb in forest and woodland. Adaptable
<i>Woollsia pungens</i> #	1.5x.4	W	5-9		✓	✓	✓	C	Flourishes in dry sclerophyll woodland in sandstone areas. Pink forms exist
<i>Xanthorrhoea media</i>	2x1	C	8-3		✓	✓	✓	S	Open or woodland habitat. Adaptable in Sydney area. Very desirable
<i>Xanthorrhoea minor</i>	1x3	C	10-11	✓	✓	✓	✓	S	Heath - alluvial and clay soils. Likes moisture. Grows in semi shade
<i>Xanthorrhoea resinosa</i>	2x1	C	6-11		✓	✓	✓	S	Moist heathland plant, widespread. Grows in open
<i>Xanthosia tridentata</i>	.4x.3	C	3-11		✓	✓	✓	C	Sheltered moist mulched area among rocks
<i>Zieria laevigata</i>	.5x.8	W	6-10		✓	✓		C	Sunny area among low scrub and heath plants. Reliable. Pink forms exist
<i>Zieria smithii</i> #	1.5x1	W	6-9	✓	✓	✓	✓	C	Sheltered forest, fragrant foliage. Open but when pruned can produce a good display of flowers. Pink forms exist

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
Trees									
<i>Acacia binervia</i> #	To 18	Y	8-9	✓		✓	✓	S	Handsome small tree, adaptable. Grey foliage
<i>Acacia decurrens</i>	14	Y	7-9	✓	✓	✓	✓	S	Very adaptable
<i>Acacia elata</i>	20	C	12-3	✓	✓	✓	✓	S	Large pinnate leaves. Young foliage. Light cream flowers in showy terminal; clusters. Widespread.
<i>Acacia parramattensis</i>	14	C	11-2	✓	✓	✓	✓	S	Open Forest . Dark trunk, young foliage yellow-green leaves finely divided..
<i>Acacia parvipinnula</i>	10	C	9-12	✓		✓	✓	S	Bark branches and branchlets silvery, pinnules small crowded. Prefers shale areas.
<i>Acmena smithii</i> #	To 20	W	1-3			✓	✓	S	Forest habitat . New foliage deep red. Purple berries, adaptable.
<i>Allocasuarina littoralis</i>	3-6	R	5-6	✓	✓	✓	✓	S	Good in windy areas, fine foliage, distinctive. Attractive fluted bark.
<i>Allocasuarina torulosa</i>	8	R	9-12			✓	✓	S	Pyramidal form, dense, flowers attractive rusty red. Attractive fluted bark.
<i>Alphitonia excelsa</i>	To 10	G	12-3	✓	✓	✓	✓	S	Forest type, black fruits. Shiny leaves with silvery reverse.
<i>Angophora bakeri</i>	To 10	W	8-12	✓	✓	✓	✓	S	Fine foliage, graceful tree. Spectacular Christmas flowering
<i>Angophora costata</i>	To 30	W	10-1	✓	✓	✓	✓	S	Sydney Redgum. Twisted branches, smooth and pink, wide spreading. Likes heavy soil.
<i>Angophora floribunda</i>	To 20	W	9-2	✓		✓	✓	S	Inhabits moist valleys
<i>Backhousia myrtifolia</i>	3-4	W	3-4		✓	✓		C	Forest habitat. Open form. Flowers with large green sepals.
<i>Banksia integrifolia</i>	6-16	C	1-6	✓	✓	✓	✓	S	Foliage two-toned, silver undersurface, masses of cream brushes, any situation
<i>Callicoma serratifolia</i>	5-15	C	5-15	✓	✓	✓	✓	C	Gullies, likes damp shaded and moist spot. Wattle type flowers, decorative foliage.
<i>Casuarina glauca</i>	20	R	5-8	✓	✓	✓	✓	S	Weeping habit, moisture loving. Fine foliage.
<i>Ceratopetalum apetalum</i>	10-25	W	11	✓	✓	✓	✓	S	Forest gully tree. White to pink flowers, decorative foliage. Straight long trunk.
<i>Corymbia eximia</i>	To 20	C	8-9			✓	✓	S	Attractive scaly bark with attractive yellow blotches. Massed flowers.
<i>Duboisia myoporoides</i>	3-6	W/R	10-11					SC	Grows in half shade. Hardy, shiny leaves, black succulent berries
<i>Elaeocarpus reticulatus</i>	15	W	4-10	✓	✓	✓	✓	SC	Gullies and hillsides. Distinctive grey/blue berries, flowers prolifically. Adaptable
<i>Eucalyptus acmenoides</i>	30-50	W	10-2	✓		✓	✓	S	Plant of open forest. Short thick trunk & open crown. Finely fibrous grey bark.
<i>Eucalyptus crebra</i>	To 35	W	5-1			✓	✓	S	Tall trunk, sparse canopy, dark grey deeply furrowed bark.
<i>Eucalyptus fibrosa</i> spp. <i>fibrosa</i>	To 35	W	11-1			✓	✓	S	Grey-green leaves, straight trunk, spreading canopy, deeply fissured bark. Dry areas.
<i>Eucalyptus haemastoma</i>	To 15	W	5-8			✓	✓	S	Decorative insect scribbles, open form, twisted branches. Smooth white bark. Adaptable.
<i>Eucalyptus longifolia</i>	To 35	W	10-11	✓		✓	✓	S	Suitable for poorly drained areas. Heavy irregular branching. Bark rough, ridged and cracked
<i>Eucalyptus oblonga</i>	To 15	W	2-4		✓	✓		S	Rough red/brown bark. Slender irregularly branched, often only to 8m.
<i>Eucalyptus paniculata</i>	To 30	W	4-8	✓		✓	✓	S	Forest, long trunk, dense canopy, dark deeply-furrowed bark.
Trees									
<i>Eucalyptus parramattensis</i>	To 15	C	12-2			✓	✓	S	Crooked trunk, open canopy, distinctive bark (mottles) for damp area.
<i>Eucalyptus pilularis</i>	30	C	10-11	✓	✓	✓	✓	S	Smooth bark, spreading branches. Fresh green leaves. For large gardens only

Australian Plants Society
Parramatta Hills District Group - District Plant List

Plant Name	Height/Width Metres	Flower		Soils				Prop	Remarks
		Colour	Time	C	S	SL	SC		
<i>Eucalyptus piperita</i>	20	C	10-11		✓			S	Grows on forest slopes, sandstone soils, Rough fibrous bark, straggly to upright form.
<i>Eucalyptus punctata</i>	To 35	W	12-4	✓	✓	✓	✓	S	Grows in poor to good soils. Smooth bark shedding to smooth cream/orange, changing to grey.
<i>Eucalyptus saligna</i>	To 50	W	1-3	✓		✓	✓	S	Tall slender grey trunk. Narrow angled branches, fresh green leaves.
<i>Eucalyptus sclerophylla</i>	To 20	W	12-2			✓	✓	S	A scribbly gum of ridge country. Smooth light bark.
<i>Eucalyptus sideroxylon</i>	25	C	6-1	✓	✓	✓	✓		Deeply furrowed black bark. Glauous pendulous leaves. Very attractive, adaptable. Pink to red forms available in cultivation
<i>Eucalyptus squamosa</i>	To 12	C	6-8		✓	✓		S	Straggly, short trunk, leaning and twisted, rough grey bark. Grows on poor
<i>Eucalyptus tereticornis</i>	To 50	W	6-11	✓			✓	S	Forest tree, ascending branches, open canopy. Clay soils. Bark smooth after shedding , white-grey and blue-grey.
<i>Glochidion ferdinandi</i>	4-15	W	10	✓	✓	✓	✓	SC	Distinctive fruits, fast growing, likes full sun
<i>Hakea salicifolia</i>	5	W	9-11	✓	✓	✓	✓	CS	Upright, dense in open, lightly foliated in shade. Very adaptable in cultivation. New leaves reddish.
<i>Jacksonia scoparia</i> #	3	Y/R	12-2	✓	✓	✓	✓	S	Pea flowers in abundance
<i>Melaleuca decora</i>	6-20	W	12-2	✓	✓	✓	✓	SC	Attractive erect paperbark with dense green crown. Adaptable
<i>Melaleuca linariifolia</i>	10	W	12-2	✓	✓	✓	✓	SC	Paperbark with spreading crown. Flowers profusely. Adaptable
<i>Pittosporum revolutum</i>	8	Y	2-5	✓	✓	✓	✓	SC	Attractive perfumed yellow flowers. Large warty orange fruit
<i>Rhodamnia rubescens</i>	25	W	4-8		✓	✓	✓	C	A good screening plant. Likes moisture. Dull red flowers
<i>Schizomeria ovata</i>	15	W	9-11		✓	✓	✓	S	From gullies. Numerous tiny white flowers and fleshy white fruit shallow soils
<i>Sloanea australis</i>	30	C	2-6	✓		✓	✓	S	"Maidens blush". Profuse scented flowers. Bright red berries. Rainforest
<i>Stenocarpus salignus</i>	10	W	10-11		✓	✓	✓	S	Rainforest. Slow growing ornamental
<i>Syncarpia glomulifera</i>	30	C	9-11	✓	✓	✓	✓	S	"Turpentine". Upright striated bark. Crown at narrow angle. Leaves white on reverse, likes heavy soil
<i>Syzygium oleosum</i> #	6	W	3-8	✓	✓	✓	✓	S	Dark green glossy foliage. Dense crown. Rainforest tree
<i>Tristaniopsis laurina</i> #	15	Y	12-1	✓	✓	✓	✓	S	Shade or full sun. For moist area. New leaves reddish.
<i>Trochocarpa laurina</i>	6	W	3-6		✓	✓	✓	SC	Open forest in shade. Glossy leaves, Spikes of flowers, blue fruits.
<i>Xylomelum pyriforme</i>	4	Br	2-4		✓	✓	✓	SC	Few stemmed, large leaved. Semi shade, large "woody pear" fruit. Unusual brown flowers.